## MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION AND USE	
PRODUCT IDENTIFIER: SPECTRUM LEAD FREE 803 EGGNOG	
	PRO
PRODUCT USE : CERAMIC GLAZE	110
TROBUST OF CERTAIN CERTAIN	
MANUFACTURER'S NAME SPECTRUM GLAZES INC.	
MANUFACTURER 5 NAME SPECTRUM GLAZES INC.	
	SUP
STREET ADDRESS 40 HANLAN RD UNIT 33	
	STR
CITY WOODBRIDGE PROVINCE ONTARIO	
	CIT
POSTAL CODE L4L3P6 EMERGENCY TEL.(905)851-8310	922
TODING CODE PRESENT THE (SUS) COTO	POS
	FUS

SECTION 2 - HAZARDOUS	1	1	}	3
INGREDIENTS	0	020	TREA OF THERESE	7.050.00
HAZARDOUS INGREDIENTS	%	CAS	LD50 OF INGREDIENTS	LC50 OF
		NUMBER	(SPECIFY SPECIES AND	INGREDIENT
			ROUTE)	(SPECIFY SPECIES)
SiO2	20-30		ILV 15mg/m3 OSHA/TWA	
ZnO	4-8			
CaO	3-5	1305-78-8		
Na20	1-3			
A1203	2-5	1344-28-1		
B2O3	8-12			1
ZrO2	3-8			
Fe203	.0102		5.0	
V205	.0102		.5	
Pr203	.0102			

SECTION 3 - PHYSICAL DATA		
PHYSICAL STATE LIQUID	ODOUR AND APPEARANCE ODOURLESS LIQUID	ODOUR THRESHOLD(PPM) N.A.
VAPOUR PRESSURE (mm Hg) N.A.	VAPOUR DENSITY (AIR=1)	EVAPORATION RATE
рн 6.5-7	SPECIFIC GRAVITY 1.6-2.0	COEFF. WATER/OIL DIST. N.A.

SECTION 4 - FIRE AND EXPLOSION DATA	
FLAMMABILITY YES NO X FLAMES UNDER WHICH CONDITIONS: THIS PRODUCT DOES NOT SUPPORT	
MEANS OF EXTINCTION NO SPECIAL MEANS REQUIRED	
FLASHPOINT AND METHOD NONE	UPPER FLAMMABLE LIMIT (% BY VOLUME) N.A.
AUTOIGNITION TEMP.(C) N.A.	HAZARDOUS COMBUSTION PRODUCTS NONE
EXPLOSION DATA N.A. SENSITIVITY IMPACT N.A.	ACTIVITY TO STATIC DISCHARGE N.A.

SECTION 5 - REACTIVITY DATA
CHEMICAL STABILITY YES X NO IF NO, UNDER WHICH CONDITIONS
INCOMPATIBILITY WITH OTHER SUBSTANCES YES NO X IF SO WHICH ONESREACTIVITY
<del></del>
REACTIVITY AND UNDER WHAT CONDITIONS: NO REACTIVITY
HAZARDOUS DECOMPOSITION PRODUCT: MATERIAL IS STABLE, NO POLYMERIZATION BUT TOXIC FUMES MAY
BE RELEASED WHEN MATERIAL IS MELTED.

(		
	}	
IRRITANCY OF PRODUCT	SENSITIZATION TO	CARCINOGENICITY
	PRODUCT	
REPRODUCTIVE TOXICITY	MUTAGENICITY	SYNERGISTIC PRODUCTS
		PRODUCT

SECTION 7 - PREVENTIVE MEASURES	
PERSONAL PROTECTIVE EQUIPMENT:	
GLOVES (SPECIFY) WORK GLOVES	RES
FOOTWEAR (SPECIFY)	CLO
ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES.	
LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN.	
WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS.	
HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE.	
STORAGE REQUIREMENTS: STORE IN DRY AREAS.	
SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED	

## SECTION 8 - FIRST AID MEASURES

SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FOR

M EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION.

SECTION 9 - PREPARATION DATE			
OF MSDS			
PREPARED BY	PHONE NUMBER:	(905) 851-8310	DATE
(GROUP, DEPARTMENT, ETC.)			
TECHNICAL DEPT.			