



OMG AMERICAS, INC.
2301 SCRANTON ROAD
CLEVELAND, OHIO 44113

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 48% NICKEL HYDROXYCARBONATE

PRODUCT CODE: 00577

MANUFACTURING LOCATION:

OMG AMERICAS, INC.
TWO MILE RUN ROAD
VENANGO COUNTY, FRANKLIN, PA 16323

DATE REVISED: 08/07/2002

DATE PRINTED: 08/08/2002

IN CASE OF EMERGENCY CONTACT:

8:00 a.m. to 5:00 p.m. (EST): 440-899-2950

After 5:00 p.m.(EST): 814-432-2125

CHEMICAL FAMILY/USE: Inorganic salt

CHEMICAL FORMULA: NA

HMIS: HEALTH: 1*
FLAMMABILITY: 0
REACTIVITY: 0
PERSONAL PROTECTION: E

*Chronic health hazard

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component/CAS	Percent	ACGIH TLV:	ACGIH Short Term Exposure Limit (STEL) value:	OSHA PEL:	OSHA Short Term Exposure Limit (STEL) value:	Units that the TWAs and STELs for ACGIH and OSHA are in:
Nickel Carbonate Hydroxide 12607-70-4	86-89	0.1**	NE	1	NE	mg/m3
Water of Hydration 7732-18-5	11-14	NE	NE	NE	NE	

**For Nickel, Soluble compounds, as Ni

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Nickel dust or fume can cause sensitization dermatitis and may cause cancer of the paranasal sinuses and the lungs. Nickel fumes are respiratory irritants and may cause pneumonitis. Skin contact may cause an allergic skin rash. Material causes eye irritation. Avoid contact with eyes, skin and clothing. Dust from handling can cause irritation of nose and throat. Prolonged exposure could cause serious respiratory illness and lung damage. Sensitized persons may develop wheezing and shortness of breath. Can also cause an allergic skin rash in some individuals. Avoid breathing dust. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation.

EYE CONTACT:

May cause eye irritation.

SKIN CONTACT:

OMG Americas, Inc.

48% NICKEL HYDROXYCARBONATE 00577

May cause allergic reactions. May cause sensitization by skin contact.

INGESTION:

May be harmful if swallowed.

INHALATION:

Prolonged inhalation of nickel dust, or metal dust, fume or mist containing nickel may cause serious respiratory illness. There are references in the literature associating nickel with interstitial fibrosis, a disease which can be fatal. Inhalation may cause an irritation of respiratory organs of sensitive persons resulting in obstruction of airways with shortness of breath.

4. FIRST AID MEASURES

EYES:

Immediately flush with large amounts of water and continue flushing until irritation subsides.

SKIN:

Wash thoroughly with soap and plenty of clean water. If irritation occurs, contact a physician.

INHALATION:

In case of inhalation of dust, fume or mist, remove from exposure. If necessary give oxygen, contact a physician.

INGESTION:

In case of ingestion and if conscious, induce vomiting. Contact a physician.

MEDICAL CONDITIONS AGGRAVATED:

Chronic respiratory and skin diseases may be aggravated by exposure to this material.

NOTE TO PHYSICIAN:

None known.

5. FIRE FIGHTING MEASURES

FLASH POINT (° F) _____ Not Applicable

OSHA FLAMMABILITY CLASSIFICATION:

Not Applicable.

EXTINGUISHING MEDIA:

Not applicable. Product does not burn.

SPECIAL FIREFIGHTING PROCEDURES:

Wear self-contained breathing apparatus, when large quantities are involved.

EXPLOSION LIMITS IN AIR - LOWER (%) _____ Unknown

EXPLOSION LIMITS IN AIR - UPPER (%) _____ Unknown

AUTOIGNITION TEMP (° F) _____ Unknown

UNUSUAL FIRE AND EXPLOSION HAZARDS:

High concentrations of dust may present a dust explosion hazard.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

The spill should first be contained and the area should be cleaned by wet-sweeping or vacuum cleaning (HEPA filter). Minimize the creation of dust. Approved NIOSH respirator for dust should be worn.

ADDITIONAL ACTION IF MATERIAL IS SPILLED ONTO SURFACE WATER BODIES:

The California Safe Drinking Water and Toxic Enforcement Act of 1986 (Prop 65) prohibits contaminating any known source of drinking water with substances known to cause cancer and/or reproductive toxicity.

7. HANDLING AND STORAGE

HANDLING:

Avoid contact with skin and eyes. Avoid breathing dust. Use only with adequate ventilation. Always use gloves and safety glasses when opening/emptying containers or processing this material. Do not eat or drink in work area. Wash in soap and water after exposure to any dust.

STORAGE:

This material should be stored in sealed containers to avoid dampness and dust. Partly used containers should be sealed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Proper ventilation should be installed in order to maintain nickel dust concentration in the air below the occupational exposure limits.

RESPIRATORY PROTECTION EQUIPMENT:

Use NIOSH approved respiratory protection where airborne level exceeds appropriate occupational exposure limit.

PROTECTIVE GLOVES:

Gloves, rubber or impervious coating.

EYE AND FACE PROTECTION:

Wear safety glasses or face shield in operations that do scatter fine particles in the air.

OTHER PROTECTIVE EQUIPMENT:

To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

VENTILATION:

Use local exhaust ventilation directed towards the source of dust and which is adequate to limit personal exposure to levels which do not exceed the PEL or TLV. If such equipment is not available use respirators as specified above.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Range/Point	Unknown
Vapor Pressure	Not Applicable
Vapor Density (AIR=1)	Not Applicable
Freezing Point	Unknown
Melting Point	Unknown
Physical State	Powder
Color	Light Green
% Volatile by Weight	Not Applicable
% Volatile by Volume	Not Applicable
Evaporation Rate (Butyl Acetate=1)	Not Applicable
Specific Gravity @ 25°C	0.5 g per cubic centimeter
Weight per gallon	4.1 lbs.

10. STABILITY AND REACTIVITY

STABILITY:

Stable.

HAZARDOUS POLYMERIZATION:

Will not occur.

HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS:

Toxic fumes of nickel oxide.

INCOMPATIBILITY (MATERIALS TO AVOID):

Contact with acids can cause foaming.

CONDITIONS TO AVOID:

Avoid dust generation.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA: IARC has classified nickel compounds as carcinogenic to humans with sufficient evidence of carcinogenicity. NTP has classified nickel compounds as NTP 1 (which is known to be a carcinogen with sufficient evidence of carcinogenicity from studies in humans which indicates a casual relationship between the chemical and human cancer; and a NTP 2 (material which is reasonably anticipated to be a carcinogen): (A) limited evidence of carcinogenicity from studies in humans which indicates that casual relationship is credible and (B) sufficient evidence of carcinogenicity from studies in experimental animals.

ACUTE ORAL LD50: No data at this time.

ACUTE DERMAL LD50: No data at this time.

ACUTE INHALATION LC50: No data at this time.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:

No data at this time

OMG Americas, Inc.

48% NICKEL HYDROXYCARBONATE 00577

CHEMICAL FATE INFORMATION:

No data at this time.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD:

This product is not regulated as a RCRA hazardous waste by the Federal EPA but may be regulated in certain states. Dispose according to federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT SHIPPING NAME: Not Regulated
DOT HAZARD CLASS: None
UN/NA NUMBER: None
DOT PACKING GROUP: None

AIR FREIGHT TRANSPORTATION: Not Regulated
OCEAN TRANSPORTATION: Not Regulated

15. REGULATORY INFORMATION

TSCA STATUS:

This product is listed on the US TSCA Inventory.

TSCA 12(b) EXPORT NOTIFICATION:

No components of this product are subject to TSCA 12(b) export notification requirements.

CALIFORNIA PROPOSITION 65:

This material may contain the following chemicals which are known to the State of California to cause cancer or birth defects and are subject to the requirements of California Proposition 65:

Nickel And Certain Nickel Compounds Cancer

CLEAN AIR ACT S112 HAZARDOUS AIR POLLUTANTS:

Nickel Compounds.

SARA 302 EXTREMELY HAZARDOUS SUBSTANCES LIST:

This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substance List.

SARA (311, 312) HAZARD CLASS:

Chronic health hazard.

SARA SECTION 313 TOXIC CHEMICALS:

Nickel Compounds 87-88%

AUSTRALIAN INVENTORY CHEMICAL SUBSTANCES:

This product is listed on the Australian Core Inventory of Chemical Substances (ACoin).

CANADIAN INVENTORY:

This product is listed on the Domestic Substance List (DSL).

EINECS REGULATIONS:

This product is listed on the European Existing Chemical Substance Inventory (EINECS).

JAPAN:

Unknown at this time.

KOREAN CHEMICAL INVENTORY:

This product is listed on the Korean List of Existing Chemical Substances (ECL).

PHILIPPINE INVENTORY:

This product is listed on the Philippines Inventory of Chemicals and Chemical Substances (PICCS).

CHINESE INVENTORY:

This product is listed on the Chinese Inventory of Existing Chemical Substances.

16. OTHER INFORMATION

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:

The information in this document is believed to be correct as of the date issued. However, no warranty of merchantability, fitness for

OMG Americas, Inc.

48% NICKEL HYDROXYCARBONATE 00577

any particular purpose, or any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this information or the product, the safety of this product, or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

17. LABEL INFORMATION

SIGNAL WORD:

CAUTION

TARGET ORGANS:

May cause sensitization by inhalation and skin contact. Prolonged inhalation of nickel dust, or metal dust, fume or mist containing nickel may cause serious respiratory illness. **CANCER HAZARD** (contains nickel carbonate hydroxide which) can cause cancer. Risk of cancer depends on duration and level of exposure.

EYES:

Immediately flush with large amounts of water and continue flushing until irritation subsides.

SKIN:

Wash thoroughly with soap and plenty of clean water. If irritation occurs, contact a physician.

INHALATION:

In case of inhalation of dust, fume or mist, remove from exposure. If necessary give oxygen, contact a physician.

INGESTION:

In case of ingestion and if conscious, induce vomiting. Contact a physician.

HANDLING:

Avoid contact with skin and eyes. Avoid breathing the dust. Use with adequate ventilation. Always use an approved respirator for dust, gloves and safety glasses when opening/emptying containers or processing this material. Do not eat or drink in work area. Wash in soap and water after exposure to any dust.

STORAGE:

This material should be stored in sealed containers to avoid dampness and dust. Partly used containers should be sealed.

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

The spill should first be contained and the area should be cleaned by wet-sweeping or vacuum cleaning (HEPA filter). Minimize the creation of dust. Approved NIOSH respirator for dust should be worn.

EXTINGUISHING MEDIA:

Not applicable. Product does not burn.



NICKEL CARBONATE

Code 56

		TYPICAL	
METAL CARBOXYLATES of:	% Nickel	47/49	
	% Cobalt	0.0400	
	% Iron	0.0050	
	% Copper	0.0005	
	% Zinc	0.0005	
	% Manganese	0.0005	
	% Sodium	0.2000	
	% Magnesium	0.0050	
	% Calcium	0.0200	
	% Chlorine	0.0020	
	% Sulfur	0.0700	
	Standard Packing	20kg box	
	Pallet	640kg	
	Special Packing	big bag	
	NICKEL CARBONATE can be produced containing lower sodium.		
	Others – made to order		

METAL SALTS

- Cobalt
- Manganese

M-GARD™

Solvent and water based wood preservatives

- Copper Naphthenate
- Zinc Naphthenate

FOB: Franklin, PA Freight: Prepaid and delivered on shipments over 400 lbs. or more. Terms: Net 30 Days

The facts stated and the recommendations and suggestions herein are based upon experiments and information believed to be reliable. No guarantee is made of their accuracy, however, and MOONEY CHEMICALS, INC. ASSUMES NO LIABILITY FOR PRODUCT FAILURE OTHER THAN TO SUPPLY REPLACEMENT MATERIAL FOR PRODUCTS SHOWN TO BE DEFECTIVE WHEN DELIVERED OR TO REFUND THE PURCHASE PRICE.

Except as stated, THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS OR OTHERWISE. MOONEY CHEMICALS, INC. SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL AND CONSEQUENTIAL DAMAGES. No statement contained herein shall be construed as an inducement to infringe existing patents or as an indorsement of products of specific manufacturers.

OM Group, Inc.
Outokumpu Chemicals • Mooney Chemicals, Inc. • Vasset S.A.
2301 Scranton Road
Cleveland, Ohio 44113-4395

Call our Order Department (800) 321-9696
In Ohio call (216) 781-8383
TWX: 810/421-8322 FAX: 216/781-5919